Pain, 68 (1996) 441–443
© 1996 International Association for the Study of Pain. 0304-3959 / 96 / $15.00

Author Index to Volume 68 (1996)

Aaron, L.A., see Martin, M.Y., **68**, 45
Abeles, M., see Affleck, G., **68**, 363
Achat, H., see Fearon, I., **68**, 55
Affleck, G., S. Urrows, H. Tennen, P. Higgins, M. Abeles, Sequential daily relations of sleep, pain intensity, and attention to pain among women with fibromyalgia **68**, 363
Aguilar, J.L., see Roca, G., **68**, 239
Alarcón, G.S., see Martin, M.Y., **68**, 45
Alberts, K.R., see Martin, M.Y., **68**, 45
Alexander, R.W., see Martin, M.Y., **68**, 45
Ali, Z., R.A. Meyer, J.N. Campbell, Secondary hyperalgesia to mechanical but not heat stimuli following a capsaicin injection in hairy skin **68**, 401
Archer, C.R., see Wade, J.B., **68**, 157
Arndt, J.O., see Holthusen, H., **68**, 395

Bandilla, E.B., see Ciccone, D.S., **68**, 329
Beattie, J., see Katz, J., **68**, 109
Bechis, G., see Guieu, R., **68**, 271
Berg, T., see Ljungman, G., **68**, 385
Bilsky, E.J., C.E. Inturrisi, W. Sadée, V.J. Hruby, F. Porreca, Competitive and non-competitive NMDA antagonists block the development of antinociceptive tolerance to morphine, but not to selective μ or δ opioid agonists in mice **68**, 229
Blumberg, P.M., see Szallasi, A., **68**, 195
Bonicalzi, V., see Canavero, S., **68**, 179
Bradley, L.A., see Martin, M.Y., **68**, 45
Breitbart, W., M.V. McDonald, B. Rosenfeld, S.D. Passik, D. Hewitt, H. Thaler, R.K. Portenoy, Pain in ambulatory AIDS patients. I: Pain characteristics and medical correlates **68**, 315
Breitbart, W., see Rosenfeld, B., **68**, 323
Brighouse, D., see McCance, S., **68**, 129
Buckley, F.P., see Dunbar, P.J., **68**, 265
Bushnell, M.C., see Chen, C.-C., **68**, 33

Calcutt, N.A., M.C. Jorge, T.L. Yaksh, S.R. Chaplan, Tactile allodynia and formalin hyperalgesia in streptozotocin-diabetic rats: effects of insulin, aldose reductase inhibition and lidocaine **68**, 293
Campbell, J.N., see Ali, Z., **68**, 401
Canavero, S., V. Bonicalzi, Lamotrigine control of central pain **68**, 179
Carroll, D., see McQuay, H.J., **68**, 217
Carroll, S., see Katz, J., **68**, 109
Caruso, F.S., see Price, D.D., **68**, 119
Cervero, F., J.M.A. Laird, Mechanisms of touch-evoked pain (allodynia): a new model **68**, 13
Chambers, C.T., G.J. Reid, P.J. McGrath, G.A. Finley, Development and preliminary validation of a postoperative pain measure for parents **68**, 307
Chaplan, S.R., see Calcutt, N.A., **68**, 293
Chapman, C.R., see Dunbar, P.J., **68**, 265
Chapman, S.L., R.N. Jamison, S.H. Sanders, Treatment helpfulness questionnaire: a measure of patient satisfaction with treatment modalities provided in chronic pain management programs **68**, 349
Chen, C.-C., P. Rainville, M.C. Bushnell, Noxious and innocuous cold discrimination in humans: evidence for separate afferent channels **68**, 33
Christensen, M.D., A.W. Everhart, J.T. Pickelman, C.E. Hulsebosch, Mechanical and thermal allodynia in chronic central pain following spinal cord injury **68**, 97
Ciccone, D.S., N. Just, E.B. Bandilla, Non-organic symptom reporting in patients with chronic non-malignant pain **68**, 329
Clairoux, M., see Katz, J., **68**, 109
Coderre, T.J., see Fisher, K., **68**, 255
Collins, D., see Vicenzino, B., **68**, 69
Costa, J., see Roca, G., **68**, 239
Cummings, E.A., G.J. Reid, G.A. Finley, P.J. McGrath, J.A. Ritchie, Prevalence and source of pain in pediatric inpatients **68**, 25

Davies, R., see McCormack, K., **68**, 5
Denson, D., see Lang, E., **68**, 151
Dougherty, L.M., see Wade, J.B., **68**, 157
Dunbar, P.J., C.R. Chapman, F.P. Buckley, J.R. Gavrin, Clinical analgesic equivalence for morphine and hydromorphone with prolonged PCA **68**, 265

Ekholm, J., see Kosek, E., **68**, 375
Estlanderb, A.-M., see Tasmuth, T., **68**, 343
Everhart, A.W., see Christensen, M.D., **68**, 97

Fearon, I., P.J. McGrath, H. Achat, 'Booboos': the study of everyday pain among young children **68**, 55
Finley, G.A., see Chambers, C.T., **68**, 307
Finley, G.A., see Cummings, E.A., **68**, 25
Fisher, K., T.J. Coderre, The contribution of metabotropic glutamate receptors (mGluRs) to formalin-induced nociception **68**, 255
Fitzgerald, M., see Jennings, E., **68**, 301
France, C.R., see Stewart, K.M., **68**, 369
Frenk, H., see Price, D.D., **68**, 119
Fukui, S., K. Ohseto, M. Shiotani, K. Ohno, H. Karasawa, Y. Naganuma, Y. Yuda, Referred pain distribution of the cervical zygapophyseal joints and cervical dorsal rami **68**, 79

Gavrin, J.R., see Dunbar, P.J., **68**, 265
Glynn, C., see McCance, S., **68**, 129
Gola, R., see Guieu, R., **68**, 271
Gomar, C., see Roca, G., **68**, 239
Gordh, T., see Ljungman, G., **68**, 385
Gourrier, E., P. Karoubi, A.E. Hanache, S. Merbouche, G. Mouchnino, J. Leraillez, Use of EMLA® cream in a Department of Neonatology **68**, 431
Green, B.G., Rapid recovery from capsaicin desensitization during recurrent stimulation **68**, 245
Guieu, R., J.C. Peragut, P. Roussel, H. Hassani, F. Sampieri, G. Bechis, R. Gola, H. Rochat, Adenosine and neuropathic pain **68**, 271

Haas, D.A., see Yu, X.-M., **68**, 169
Hanache, A.E., see Gourrier, E., **68**, 431
Hansson, P., see Kosek, E., **68**, 375
Hassani, H., see Guieu, R., **68**, 271
Hawton, K., see McCance, S., **68**, 129
Hedner, T., see Wolff, T., **68**, 209
Hewitt, D., see Breitbart, W., **68**, 315
Higgins, P., see Affleck, G., **68**, 363
Holthusen, H., J.O. Arndt, The role of pain from veins for the formation of perivenous edema in humans **68**, 395
Hord, A.H., see Lang, E., **68**, 151
Hruby, V.J., see Bilsky, E.J., **68**, 229
Hu, J.W., see Yu, X.-M., **68**, 169

Hulsebosch, C.E., see Christensen, M.D., **68**, 97

Inturrisi, C.E., see Bilsky, E.J., **68**, 229
Izzo, A., see Yu, X.-M., **68**, 169

Jackson, M., see Katz, J., **68**, 109
Jamison, R.N., see Chapman, S.L., **68**, 349
Jennings, E., M. Fitzgerald, C-fos can be induced in the neonatal rat spinal cord by both noxious and innocuous peripheral stimulation **68**, 301
Jorge, M.C., see Calcutt, N.A., **68**, 293
Just, N., see Ciccone, D.S., **68**, 329

Kalso, E., see Tasmuth, T., **68**, 343
Karasawa, H., see Fukui, S., **68**, 79
Karoubi, P., see Gourrier, E., **68**, 431
Katz, J., M. Clairoux, C. Redahan, B.P. Kavanagh, S. Carroll, H. Nierenberg, M. Jackson, J. Beattie, A. Taddio, A.N. Sandler, High dose alfentanil pre-empts pain after abdominal hysterectomy **68**, 109
Kavanagh, B.P., see Katz, J., **68**, 109
Kawamata, M., K. Omote, Involvement of increased excitatory amino acids and intracellular Ca^{2+} concentration in the spinal dorsal horn in an animal model of neuropathic pain **68**, 85
Kosek, E., J. Ekholm, P. Hansson, Sensory dysfunction in fibromyalgia patients with implications for pathogenic mechanisms **68**, 375
Kreuger, A., see Ljungman, G., **68**, 385

Laird, J.M.A., see Cervero, F., **68**, 13
Lang, E., A.H. Hord, D. Denson, Venlafaxine hydrochloride (Effexor™) relieves thermal hyperalgesia in rats with an experimental mononeuropathy **68**, 151
Lashbrook, J.M., see Vanderah, T.W., **68**, 275
Laughlin, T., see Vanderah, T.W., **68**, 275
Leraillez, J., see Gourrier, E., **68**, 431
Liem, A.L., see van der Ploeg, J.M., **68**, 75
Ljungman, G., A. Kreuger, T. Gordh, T. Berg, S. Sörensen, N. Rawal, Treatment of pain in pediatric oncology: a Swedish nationwide survey **68**, 385
Lu, J., see Price, D.D., **68**, 119

Malan, Jr., T.P., see Vanderah, T.W., **68**, 275
Malhotra, K.M., see Porter, F.L., **68**, 413
Manyande, A., see Salmon, P., **68**, 63
Mao, J., see Price, D.D., **68**, 119
Martin, M.Y., L.A. Bradley, R.W. Alexander, G.S. Alarcón, M. Triana-Alexander, L.A. Aaron, K.R. Alberts, Coping strategies predict disability in patients with primary fibromyalgia **68**, 45
Mayer, D.J., see Price, D.D., **68**, 119
Mazo, V., see Roca, G., **68**, 239
McCance, S., K. Hawton, D. Brighouse, C. Glynn, Does electro-convulsive therapy (ECT) have any role in the management of intractable thalamic pain? **68**, 129
McCormack, K., R. Davies, The enigma of potassium ion in the management of dentine hypersensitivity: is nitric oxide the elusive second messenger? **68**, 5
McDonald, M.V., see Breitbart, W., **68**, 315
McDonald, M.V., see Rosenfeld, B., **68**, 323
McGrath, P.J., see Chambers, C.T., **68**, 307
McGrath, P.J., see Cummings, E.A., **68**, 25
McGrath, P.J., see Fearon, I., **68**, 55
McQuay, H.J., M. Tramèr, B.A. Nye, D. Carroll, P.J. Wiffen, R.A. Moore, A systematic review of antidepressants in neuropathic pain **68**, 217
Meller, S.T., Ketamine: relief from chronic pain through actions at the NMDA receptor? **68**, 435
Merbouche, S., see Gourrier, E., **68**, 431
Meyer, R.A., see Ali, Z., **68**, 401
Miller, J.P., see Porter, F.L., **68**, 413
Moore, R.A., see McQuay, H.J., **68**, 217
Morris, J.C., see Porter, F.L., **68**, 413
Mouchnino, G., see Gourrier, E., **68**, 431

Naganuma, Y., see Fukui, S., **68**, 79
Nichols, M.L., see Vanderah, T.W., **68**, 275
Nierenberg, H., see Katz, J., **68**, 109
Nye, B.A., see McQuay, H.J., **68**, 217

Ohno, K., see Fukui, S., **68**, 79
Ohseto, K., see Fukui, S., **68**, 79
Okifuji, A., see Turk, D.C., **68**, 423
Omote, K., see Kawamata, M., **68**, 85
Ossipov, M.H., see Vanderah, T.W., **68**, 275

Passik, S.D., see Breitbart, W., **68**, 315
Passik, S.D., see Rosenfeld, B., **68**, 323
Peragut, J.C., see Guieu, R., **68**, 271
Pickelman, J.T., see Christensen, M.D., **68**, 97
Pirec, V., see Yeomans, D.C., **68**, 133
Porreca, F., see Bilsky, E.J., **68**, 229
Porreca, F., see Vanderah, T.W., **68**, 275
Portenoy, R.K., see Breitbart, W., **68**, 315
Portenoy, R.K., see Rosenfeld, B., **68**, 323
Porter, F.L., K.M. Malhotra, C.M. Wolf, J.C. Morris, J.P. Miller, M.C. Smith, Dementia and response to pain in the elderly **68**, 413
Price, D.D., J. Mao, J. Lu, F.S. Caruso, H. Frenk, D.J. Mayer, Effects of the combined oral administration of NSAIDs and dextromethorphan on behavioral symptoms indicative of arthritic pain in rats **68**, 119
Price, D.D., see Wade, J.B., **68**, 157
Price, D.D., Selective activation of A-delta and C nociceptive afferents by different parameters of nociceptive heat stimulation: a tool for analysis of central mechanisms of pain **68**, 1
Proudfit, H.K., see Yeomans, D.C., **68**, 133
Proudfit, H.K., see Yeomans, D.C., **68**, 141
Puig, S., see Sorkin, L.S., **68**, 283

Rainville, P., see Chen, C.-C., **68**, 33
Rawal, N., see Ljungman, G., **68**, 385
Redahan, C., see Katz, J., **68**, 109
Reid, G.J., see Chambers, C.T., **68**, 307
Reid, G.J., see Cummings, E.A., **68**, 25
Ritchie, J.A., see Cummings, E.A., **68**, 25
Roca, G., J.L. Aguilar, C. Gomar, V. Mazo, J. Costa, F. Vidal, Nimodipine fails to enhance the analgesic effect of slow release morphine in the early phases of cancer pain treatment **68**, 239
Rochat, H., see Guieu, R., **68**, 271
Rosenfeld, B., see Breitbart, W., **68**, 315
Rosenfeld, B., W. Breitbart, M.V. McDonald, S.D. Passik, H. Thaler, R.K. Portenoy, Pain in ambulatory AIDS patients. II: Impact of pain on psychological functioning and quality of life **68**, 323
Roussel, P., see Guieu, R., **68**, 271

Sadée, W., see Bilsky, E.J., **68**, 229
Salmon, P., A. Manyande, Good patients cope with their pain: post-operative analgesia and nurses' perceptions of their patients' pain **68**, 63
Sampieri, F., see Guieu, R., **68**, 271
Samuelsson, H., see Wolff, T., **68**, 209
Sanders, S.H., see Chapman, S.L., **68**, 349
Sandler, A.N., see Katz, J., **68**, 109
Schagen van Leeuwen, J.H., see van der Ploeg, J.M., **68**, 75
Sessle, B.J., see Yu, X.-M., **68**, 169
Shiotani, M., see Fukui, S., **68**, 79
Sinclair, J.D., see Turk, D.C., **68**, 423
Smith, M.C., see Porter, F.L., **68**, 413

Sörensen, S., see Ljungman, G., **68**, 385
Sorkin, L.S., S. Puig, Neuronal model of tactile allodynia produced by spinal strychnine: effects of excitatory amino acid receptor antagonists and a μ-opiate receptor agonist **68**, 283
Starz, T.W., see Turk, D.C., **68**, 423
Stewart, K.M., C.R. France, Resting systolic blood pressure, parental history of hypertension, and sensitivity to noxious stimuli **68**, 369
Szallasi, A., P.M. Blumberg, Vanilloid receptors: new insights enhance potential as a therapeutic target **68**, 195

Taddio, A., see Katz, J., **68**, 109
Tasmuth, T., A.-M. Estlanderb, E. Kalso, Effect of present pain and mood on the memory of past postoperative pain in women treated surgically for breast cancer **68**, 343
Tennen, H., see Affleck, G., **68**, 363
Thaler, H., see Breitbart, W., **68**, 315
Thaler, H., see Rosenfeld, B., **68**, 323
Tramèr, M., see McQuay, H.J., **68**, 217
Triana-Alexander, M., see Martin, M.Y., **68**, 45
Turk, D.C., A. Okifuji, T.W. Starz, J.D. Sinclair, Effects of type of symptom onset on psychological distress and disability in fibromyalgia syndrome patients **68**, 423

Urrows, S., see Affleck, G., **68**, 363

van der Ploeg, J.M., H.A.M. Vervest, A.L. Liem, J.H. Schagen van Leeuwen, Transcutaneous nerve stimulation (TENS) during the first stage of labour: a randomized clinical trial **68**, 75
Vanderah, T.W., T. Laughlin, J.M. Lashbrook, M.L. Nichols, G.L. Wilcox, M.H. Ossipov, T.P. Malan, Jr., F. Porreca, Single intrathecal injections of dynorphin A or *des*-Tyr-dynorphins produce long-lasting allodynia in rats: blockade by MK-801 but not naloxone **68**, 275
Verenich, S.V., The lateralization of back pain is sex-related? **68**, 183
Vernon, H., see Yu, X.-M., **68**, 169
Vervest, H.A.M., see van der Ploeg, J.M., **68**, 75
Vicenzino, B., D. Collins, A. Wright, The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia **68**, 69
Vidal, F., see Roca, G., **68**, 239

Wade, J.B., L.M. Dougherty, C.R. Archer, D.D. Price, Assessing the stages of pain processing: a multivariate analytical approach **68**, 157
Wiffen, P.J., see McQuay, H.J., **68**, 217
Wilcox, G.L., see Vanderah, T.W., **68**, 275
Wolf, C.M., see Porter, F.L., **68**, 413
Wolff, T., H. Samuelsson, T. Hedner, Concentrations of morphine and morphine metabolites in CSF and plasma during continuous subcutaneous morphine administration in cancer pain patients **68**, 209
Wright, A., see Vicenzino, B., **68**, 69

Yaksh, T.L., see Calcutt, N.A., **68**, 293
Yeomans, D.C., H.K. Proudfit, Nociceptive responses to high and low rates of noxious cutaneous heating are mediated by different nociceptors in the rat: electrophysiological evidence **68**, 141
Yeomans, D.C., V. Pirec, H.K. Proudfit, Nociceptive responses to high and low rates of noxious cutaneous heating are mediated by different nociceptors in the rat: behavioral evidence **68**, 133
Yezierski, R.P., Pain following spinal cord injury: the clinical problem and experimental studies **68**, 185
Yu, X.-M., B.J. Sessle, D.A. Haas, A. Izzo, H. Vernon, J.W. Hu, Involvement of NMDA receptor mechanisms in jaw electromyographic activity and plasma extravasation induced by inflammatory irritant application to temporomandibular joint region of rats **68**, 169
Yuda, Y., see Fukui, S., **68**, 79